Copy 2 of 3 Copy 2 of 2 1 7 FEB 1967 25X1

MEMORANDUM FOR:

Comptroller, Office of Special Activities

SUBJECT:

Operational Concepts for IDEALIST (FY 1968-73)

and OXCART (FY 68-First Six Months)

1. Forwarded for your information and guidance are the Operational Concepts for the OXCART and IDEALIST programs.

Colonel, USAF
Deputy for Operations, OSA

25X1A9A

25X1A9A

SAS/O/OSA js (17 Feb 67)

Distribution:

#1 - COMPT/OSA

#2 - D/O/OSA (w/o att)

#3 - RB/OSA (w/o att)

Series B Distribution:

#1 - OXC/O/OSA

#2 - IDEA/O/OSA

NRO DECLASSIFICATION/RELEASE INSTRUCTIONS ON FILE

25X1

GROUP 1
Excluded from automatic downgracking and declassification

TOP SECRET

# IDEALIST OPERATIONAL CONCEPT FY-1968, 1969 AND

### CONSOLIDATED CONCEPT FOR FY-1970 THRU 1973

#### 1. MISSION AND MISSION PLANNING

- a. Mission: To conduct covert reconnaissance (photographic and electronic) over denied and hostile territory, or peripheral reconnaissance, on a world-wide basis in support of the national intelligence objectives of the United States.
- b. Areas over which aerial reconnaissance is to be conducted are determined by the National Intelligence Community as expressed by the USIB and COMOR.
- c. Mission planning and control of reconnaissance flights will be accomplished by Project Headquarters within the limits imposed by approval authorities.

### 2. REQUIREMENTS

a. It is assumed that the life expectancy of the U-2 will extend beyond FY-68, operating in the same general areas as at present--China, North Korea, Sino-Indian Border, Southeast Asia, and wherever else a requirement may be generated.

1	•	•	25X1

- b. Beyond 1966, the requirement for the U-2 becomes less clear as to identification of specific target areas. It can be assumed, however, that the international scene will be no less parlous than it is now, and that crises will continue to arise which will generate requirements for covert reconnaissance. They could occur in South America, Africa, the Middle East and Indonesia. Therefore, for reasons of mobility, economy, reliability and quick response, there will exist a requirement for U-2's for some years to come.
  - c. Although requirements for specific target coverage can change drastically from time to time, experience indicates that the total number of operational missions required for any given year remains fairly constant. Presently identified target areas and specific targets in the Far East will require 70 operational missions per year to obtain the desired coverage. In addition to the missions required for these targets, it is assumed that at least fifteen additional missions will be generated each year to obtain coverage of targets in other areas of the world which, as yet, have not been identified for U-2 reconnaissance.
    - d. This requirement (eighty-five (85) operational

Adil M	•		25X1

missions per year) is not expected to diminish through FY-68.

e. Experience gained from the first ten years of the IDEALIST program indicates that requirements are seldom satisfied. Unfavorable weather, political considerations and other factors combine to preclude a "caught-up" position in covert reconnaissance. The annual average number of operational reconnaissance missions during this ten-year period is forty-eight (48), and it is reasonable to assume that approximately this number of missions will be accomplished each year during the period covered by this paper. It should be pointed out, however, that should IDEALIST assets be employed in a tactical situation, this number of operational missions would increase considerably.

### 3. ASSETS

a. Detachment "G" is permanently located at Edwards
Air Force Base, California, but is required to maintain
a dual staging capability to conduct operational missions
as may be required anywhere in the world. Additionally,
this detachment retains the responsibility for the conduct
of continuing development programs for new equipment and

	25X1
	:

	tactics, and for the training of replacement personnel.
	b. Detachment "H" is permanently located at
25X1A6A	This detachment is manned with U.S. supervisors,
	maintenance and special equipment technicians and
25X1	are
	rotated from Detachment "G" to Detachment "II" on a
	temporary duty basis to function as instructor pilots
	and to conduct unilateral operational missions. A full
	time requirement will continue to exist at Detachment "H"
	for the use of one flight planner from Detachment "G" to
	augment that operations staff on deployments.
	c. Project IDEALIST has semi-permanently located
25X1A6A	at various equipment and assets
	for the purpose of establishing a quick reaction U-2
	mission launch and/or recovery capability.
	d. Any Project IDEALIST deployments to 25X1A
25X1A6A	in the future will entail quite a bit of airlift
	support as the useable equipment and materiel previously
	prepositioned there has been withdrawn and stored at
25X1A6A	Adequate safeguards and mainte- 25X1A
	nance of equipment was not performed at
	e. Project IDEALIST is actively considering pre-
	positioning various equipment fuel and other assets at
	25X1
	가는 사용하게 많은 경기 이 사용하게 하는 것이 되는 것이 되었다. 그렇게 되었다. 그는 사용 전에 대한 경기 등을 하게 되었다. 그 사용하게 되었다. 그 사용하게 되었다. 그 사용하게 되었다.
	TOP SECRET
	Approved For Release 2003/12/18 - CIA-RDP71B00263R000200140008-5

other possible bases throughout the world, primarily to reduce the reaction time now required to deploy a detachment for covert reconnaissance purposes.

	(1) Project IDEALIST is pressing forward on
5X1X4	
	mission should be in March 1967. Pilot training,
	as well as maintaining this program, will continue
	through FY-68.
	(2) Additional requirements for
	system can be expected. Storage,
	maintenance and manning of this equipment will be
	어느 그는 사람들이 가는 사람들이 가장 하는 사람들이 가장 하는 사람들이 되었다.
	accomplished at Detachment "G". The capability to
	deploy this equipment to Detachment "H" or another
	staging base within thirty (30) days will be maintain
	f. To maintain mission capability due to improved ai
	25X1

defense capabilities of the opposition, and also improve IDEALIST assets, a continuing requirement exists for improved detection systems, defense systems and collection systems.

(1) Development of an				
(oblique) is necessary, with a range	of	great	er	than
25 nautical miles,	<u>.</u>	when	the	
target is protected by SA-2 missile s	ite	s.		

- (2) The entire fleet of IDEALIST aircraft will be equipped with a doppler navigation system early in FY-68. A continuing requirement will then exist for factory qualified specialists to maintain this equipment at Detachment "G" and Detachment "H".
- (3) Improved air defense capabilities over denied territory have made it mandatory that the performance characteristics of the U-2 be improved. An increase in aircraft range, coupled with a decrease in time required to climb to a safe penetration altitude must be achieved. The weight reduction program, the removing of equipment that does not contribute to the effectiveness of the mission and replacing present equipment, where possible, with

25X1	
	l
	ŀ
	ľ

smaller and light	er eq	uipment	that	wil]	perform the
same function, ha	s onl	y partia	lly a	ccon	aplished the
desired results.	This	program	must	be	vigorously
continued.	•				

								v   v   v
25X1D0C								
								1. 1.
								ly S
								ľ
								· ·
								ξ <sub>2</sub> 
								<i>(*</i>
								. 
								į;
Market and the second s								i.
								ļ
								.9
								,
								ļ,
	(5)	A TT 2	Flich+	Simulator	. ia 2000	unimed a	t oo ob	

detachment location. This requirement is based upon

•	25X1

the position that Project IDEALIST is now in, that of training new and inexperienced pilots for U-2 overflight missions in the shortest possible time. This is particularly appropriate in detachment where the pilots are rotated after they have flown ten overflight missions or are in the detachment for eighteen months. The use of a realistic simulator would not only shorten the flight training required of a pilot before he reaches an operational ready status, but would contribute considerably to maintaining the pilots at their peak performance level at all times. With a simulator at each detachment it is not inconceivable that the training pilots receive from it could reduce the Project's aircraft loss to a large degree. requirement would particularly apply to the U-2R when they are brought into the inventory.

(6) A high resolution oblique camera effective at ranges of 35 nautical miles to 50 nautical miles is required to obtain photographic coverage of targets heavily defended with Surface-to-Air Missiles. One camera of this type is now available on loan from SAC.

, ,	23 <u>V</u>
· ·	
- 1	
r. [	ľ
. ]	

25X1

- (7) IDEALIST requires a device that will record and transmit information concerning aircraft difficulties leading to an accident, which would be automatically ejected from the aircraft after a disaster has occurred.
- (8) An improved ejection system (Rocket Seat) is needed for low altitude ejections and improved pilot safety.
- (9) With addition of equipment the aircraft cockpit has grown smaller to the point where switches must
  be moved that can't even be seen. An enlarged, and
  redesigned cockpit is required. This has been
  accomplished for the U-2R model.
- Procurement and replacement of these suits plus additional support equipment and personnel, spares, studies and modifications will exist throughout the life of this aircraft. Liquid oxygen facilities will be required also. The above is based on the assumption that allocation of U-2R's will be made to this Headquarters.

### 5. DEPLOYMENT

and the second second second			1 1 1 1	
				is responsible
25X1A6A	a Do	tachment "H" at L		To Lephonorpro
20/11/10/1	a. De	CACITIMENT IT GO		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				

				207
		•		4.1
2				
Ç.				
7				
2,				

37.4

	for obtaining coverage of all COMOR targets in North Korea
	and those in mainland China, except the Sino-Indian Border
	area. Since many of these targets are located beyond
25X1A6A	the maximum range of the U-2, when operating
	frequent pre/post strike stagings, utilizing bases in
25X1A6A	will be accomplished. In addition
	to providing coverage of distant targets, the stagings will
	permit widely varied penetration and exit points and pre-
	clude stereotyped mission profiles.
	b. All operational missions flown by Detachment "G"
	will launch/recover at an operating location other than
	Edwards AFB. Past experience indicates we can expect
	approximately six such deployments per year, for an average
	duration of thirty days each.
	c. It is not unreasonable to assume that at least
	once each year, the detachment will be required to operate
	from a U.S. Navy aircraft carrier.
	d. Pre-positioning of assets at forward sites will
	be accomplished to enable the operating detachments to
	react to requirements in minimum time.
	e. KC-135 tanker aircraft will be used for air

to provide transportation for the enroute support kit and enroute support personnel for each overwater deployment requiring more than one ferry flight.

#### 6. OPERATIONAL MISSION CONCEPT

- a. Missions will average seven hours in duration.
- b. Photo missions with the Hycon "B" Configuration will use either 2000, 4000 or 6500 ft. rolls of film.
- c. Photo missions with ITEK Delta III Camera are generally planned for 5000 ft. rolls of film, but it is possible that on a specific mission 7800 ft. rolls be utilized.
- d. Photo missions with the Hycon "H" Configuration will use 2000 ft. rolls of film.
- e. Droppable fuel tanks will be required for approximately ten missions per year.
- f. Although operational missions will be flown when weather in the target area will permit, for the purposes of this paper, they will be flown at the rate of approximately four per month.
- g. From time to time, because of specific target coverage required, KC-135 or KC-97 aircraft will be used for air refueling of mission aircraft.

	•	 -	•	Ţ.	25X1	
-		 				

	h. System III and System VI, or suitable replacements
	will be utilized on all operational missions.
25X1D0G	
	j. The MARK IIA, Oscar Sierra, will be a necessity
	on all operational overflight missions.
	k. A lightweight tracker camera, when available, will
	be carried on all operational missions.
	1. All operational missions over CHICOM territory,
	whenever feasible, will have a minimum penetration altitude
	of 69,000 feet and planned for random turns as protection
	against enemy interceptors.
	7. AIRCRAFT
	a. A minimum of seven U-2 aircraft, equipped with
	J-75 engines and standard wiring configurations, to allow
	complete interchangeability of equipment, are required.
	A seven aircraft inventory will allow Detachment "H" at
25X1A6A	three aircraft for operational missions;
ZJATAOA	
	three aircraft will be utilized by Detachment "G" at
	Edwards AFB in support of the dual staging concept; one
	25X1

aircraft will normally be at Lockheed Aircraft Corporation undergoing IRAN/updating but should be available on occasions for use of Detachment "G". It will be capable of being configured for an operational mission within seven days. A bonus of 120 hours per year is possible if we assume that the seventh aircraft will be available to Detachment "G" one third of the time.

b. Past history of the U-2 program indicates that aircraft losses can be expected at a rate of one each eight months. It is assumed that a force level of seven aircraft will be maintained. Lost aircraft can be replaced from USAF assets after these aircraft have been modified to Agency configuration. This solution is of a temporary nature. Based on the known loss rate and the assumed life expectancy of the U-2 program a requirement exists for the purchase of additional U-2's similar to those in the present inventory or the purchase of improved versions of the U-2 aircraft.

### 8. FLYING HOURS

a. Flying hours accomplished, and techniques employed during operational reconnaissance missions, will be credited to the training program for the detachment and the individuals concerned. In addition, a continuous flying training

	* ** **	25X1
٠		

**ΤΟΡ SECRET**Approved For Release 2003/12/18 : CIA-RΦP71B00263R000200140008-5

Approved	For Releas	e 20 <b>030</b>	P2/8ECR)	RDP71B0	0263R000200	140008-5
• •	•			1		

program will be conducted by each detachment to assure the capability to conduct reconnaissance operations on a world-wide basis.

- - (1) Thirty hours per month for each mission pilot until an operational ready status is attained.
  - (2) Twenty hours per month for each operationally ready mission pilot until he has a total of 200 flying hours in the U-2 aircraft with J-75 engines.
  - (3) A minimum of ten hours per month for each mission pilot after he has a total of 200 flying hours in the U-2 aircraft.
  - (4) Each maintenance flight test pilot will require a minimum of ten hours per month to retain the desired level of proficiency.
  - (5) Training of will require a minimum of 60 hours each prior to being designated Category III operational ready status.
  - c. Flying hours available are computed on the basis

of thirty five hours per month for each aircraft available.

- d. An estimate of the flying hours available versus flying hours required, from the first half of FY-68 through FY-69, is indicated below in six month increments. It should be noted that the requirements are modified by footnotes during each period to reflect adjustments necessary to enable us to operate within the flying hours available.
- e. A consolidation of available flying hours and required flying hours is provided for FY-1970 through FY-1973 based on a seven aircraft inventory and no reduction in number of pilots.
- as to maintain the detachment operational ready pilot strength at a force level of 5. As these pilots are on a combat tour of either ten U-2 overflight missions or eighteen months there will always be a variance in the number of operational ready pilots and pilots in training.

25X1X7

25X1

## FY - 1968 1 JULY - 31 DECEMBER 1967

	1. Flying hours available		700
	2. Flying hours required		720
	7 -	420	
	25X1X7 <b>2</b> -	120	
	1 - Maintenance Flight Test Pilot	. 60	
tyteri. Historia	25X1X7 2 - pilots in training	120	
	3. Difference between available hours	s and r	equired will
X1C	be voided when	* .	are TDY to
	Detachment "H" or by reducing time alloca	ted to	
	operational ready pilots.		25X1X
	B. <u>Detachment "H"</u> 1. Flying hours available		25X1X 630
	<ul> <li>B. <u>Detachment "H"</u></li> <li>1. Flying hours available</li> <li>2. Flying hours required</li> </ul>		630 540
	B. <u>Detachment "H"</u> 1. Flying hours available	180	630 540
	B. Detachment "H"  1. Flying hours available  2. Flying hours required  25X1X7 3 -  1 -	60	630 540
	B. Detachment "H"  1. Flying hours available  2. Flying hours required  25X1X7 3 -  1 -  1 - U.S. Operational Ready Pilot	60 60	630 540
	B. Detachment "H"  1. Flying hours available  2. Flying hours required  25X1X7 3 -  1 -  1 - U.S. Operational Ready Pilot  25X1X7 2 - pilots continuation train	60 60 ing	630 540
	B. Detachment "H"  1. Flying hours available  2. Flying hours required  25X1X7 3 -  1 -  1 - U.S. Operational Ready Pilot	60 60 ing ain	630 540
	B. Detachment "H"  1. Flying hours available  2. Flying hours required  25X1X7 3 -  1 -  1 - U.S. Operational Ready Pilot  25X1X7 2 - pilots continuation train	60 60 ing	630 540

Approved For Release 2003/12/18 : CIA-RDP 1B00263R000200140008-5

		3.	Dif	ference	betwe	en avai	lable	hours	and	requi	red v	will
	be	used	for	profic	iency	flying,	opera	tional	. mis	sions	and	for
С	the	•					wher	he is	TD	at D	etacl	amen
	HIII	•										

	<b>FY - 1968</b>	Y		9
•	1 JANUARY - 30 JUNE 1968		26	10
A. Deta	achment "G"		3.	2/3
1.	Flying hours available		700	net
2.	Flying hours required		720	
	7 -	420		
25X1X7	2 -	120		
	1 - Maintenance Flight Test Pilot	60		
25X1X7	2 - pilots in training	120		
3.	Difference between available hours a	and re	equired v	/ill
be void	ed when		are TDY	to
Detachm	ent "H" or by reducing time allocated	d to	the	
operati	onal ready pilots.			25)
B. Det	achment "H"			
1.	Flying hours available		630	
2.	Flying hours required		540	
5X1X7	3 - Operational Ready Pilots	180		
	1 - Maintenance Flight Test Pilot	60		
		60		
25X1X7				
	requiring 20 hours per month	240		25X

Approved For Release 2003/12/18: CIA-RDP71B00263R000200140008-5

c			profic	<u></u> ,	he is	· .		 	"H".		
				$\lambda^{*}$			N.				
		9 (4) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4)									
							, Y. 7.3.				
	Saha m Haris										
										a.	
										·	25X
									<u> </u>	· · · · · · · · · · · · · · · · · · ·	

25X1

### FY - 1969 1 JULY - 31 DECEMBER 1968

Α.	Deta	achment "G"		
	1.	Flying hours available	700	
•	2.	Flying hours required	720	
	. ;	7 -	420	
25X	(1X7	2 -	120	
:		1 - Maintenance Flight Test Pilot	60	
25)	X1X7			
		2 - priots in training	120	
7.,	3.	Hours required this period exceed h	ours availabl	.e
resu	ultii	ng in extending the training period	for	25X1X7
_	n			
<b>B.</b>		achment "H"		
	1.		630	
		Flying hours required	54(	
25X1	X7	3 - Operational Ready Pilots	.180	
		1 - Maintenance Flight Test Pilot	60	
*		1 -	<b> </b> 60	
25X	1X7	2 -		
		and proficiency flights to atta	ain "	
and the second		200 hours	240	
	3.	Additional flying hours will be use	ed for improv	ing
	•			25X1

	Approved	d For Releas	e 2003/1 <b>2/1</b> 8	P. SECRET <sub>71B002</sub> 6	33R000200140008-5	
4	1		25X1C			
	proficiency	and the				when
4	TDY to Deta	chment "	H''			
				。 第二章 1855年 - 1950年 - 1950年 第二章 1950年 - 1950年		
						25X
						<u>, · · · · · · · · · · · · · · · · · · ·</u>

TOP SECRET
Approved For Release 2003/12/18 CIA-RDP71B00263R000200140008-5

### FY - 1969 1 JANUARY - 30 JUNE 1969

	achment "G"	
	Flying hours available 700	
2.	Flying hours required 720	
25X1X7	7 - 2 - 120	
	1 - Maintenance Flight Test Pilot 60	
25X1X7	2 - pilots in training 120	
<b>3.</b>	Time allotted to further training of	will 25X1X7
	ssity be reduced thus extending their training per	lod.
1.	Flying hours available 630	
2.	Flying hours required 540	
25X1X7	3 - 180 1 - 60	
	1 - Maintenance Flight Test Pilot 60	
25X1X7	2 - Operational Ready Pilots	
	requiring 20 hours per month for 6 months 240	
3.	Excessive time will be used to further train prima	1 <b>ry</b> 25X1
	TOP SECRET  Approved For Release 2003/12/18 CIA RDP71B00263R000200140008-5	

`	_	1/1	4
,	ゥ	X.	1
_	u	/\	

## Approved For, Release 20**101**2/**SECRET**RDP71B00263R000200140008-5

	25X10 ()	
pilots and for		if TDY
Detachment "H"		

## Approved For Release 2003 2/18 ECRET DP71B00263R000200140008-5

# CONSOLIDATED REQUIREMENT FOR FY 1970 THRU FY 1973

### FY 1970

· 🕳		7000	200	T	1070
· 1	JULY	1969	- 30	June	19/0

LOCATION		REQUIRED	<u>AVAILABLE</u>
Detachment	"G"	1440	1400
Detachment '	"H"	<u>1080</u> ·	1260
TOTALS		2520	2660
		FY 1971	
	1	July 1970 - 30 June 19	971
Detachment	"G"	1440	1400
Detachment	"K"	1080	<u>1260</u>
TOTALS		2520	2660
		FY 1972	
	1	July 1971 - 30 June 1	972
Detachment	"G"	1440	1400
Detachment	"H"	<u>1080</u>	1260
TOTALS		2520	2660
		FY 1973	
			079
	<u>1</u>	July 1972 - 30 June 1	
Detachment	''G''	1440	1400
Detachment	"H"	1080	1260
TOTALS		2520	2660

25X1.